

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 3, 2019	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: Lifetimes Limited Partnership / 3200 Dufferin Street, Toronto, ON M6A 3B2 (the "Licensee")	
Retirement Home: Devonshire Retirement Residence / 901 Riverside Drive, Windsor, ON N9A 7J6 (the "home")	
Licence Number: S0346	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 53; Agreement required.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>53. (1) The licensee of a retirement home shall enter into a written agreement with every resident of the home before the resident commences residency in the home.</p>
<p>Inspection Finding</p> <p>The home was not able to demonstrate that all residents had a signed tenancy agreement prior to commencing tenancy in the home.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 55; Posting information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>55. (2) Every licensee of a retirement home shall ensure that the following information is posted in the home in a conspicuous and easily accessible location and in a manner that complies with the prescribed requirements, if any:</p> <p>1. The Residents' Bill of Rights.</p>

<p>Inspection Finding</p> <p>The home did not have the currently legislated Bill of Rights posted in the home.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>3. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (i) the loss of essential services, (b) at least once every two years, conduct a planned evacuation of the retirement home; (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan. <p>25. (3) The licensee shall ensure that the emergency plan provides for the following:</p> <ul style="list-style-type: none"> 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order. <p>25. (5) The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>
<p>Inspection Finding</p> <p>The home's emergency plan and procedures were not in alignment with the above noted sections of the legislation.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by May 31, 2019. RHRA to confirm compliance by inspection.</p>
<p>4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.</p>

The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.

The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The home was not able to demonstrate that all staff were trained at orientation and annually in all above noted legislation.

<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>5. The Licensee failed to comply with O. Reg. 166/11, s. 20; Food preparation.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>20. (4) The licensee shall ensure that whenever food is prepared in the retirement home, at least one person involved in preparing the food holds a current certificate in food handling from the local public health unit or has recently successfully completed a food handling training program equivalent to that offered by public health units.</p>
<p>Inspection Finding</p> <p>The home was not able to demonstrate that at all times food was being prepared that at least one person involved in the preparation of food held a current food handler's certificate from a local public health unit.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

<p>Signature of Inspector</p> 	<p>Date</p> <p>January 17, 2019</p>
---	-------------------------------------