

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 28, 2019	Name of Inspector: Tania Buko
Inspection Type: Routine Inspection	
Licensee: Schlegel Villages Inc. / 325 Max Becker Drive, Kitchener, ON N2E 4H5 (the "Licensee")	
Retirement Home: The Village of Riverside Glen / 60 Woodlawn Road, Guelph, ON N1H 8M8 (the "home")	
Licence Number: T0130	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum, (c) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;</p>
<p>Inspection Finding</p> <p>The information package reviewed on the day of inspection did not contain all the prescribed criteria in relation to the home's zero tolerance of abuse and neglect policy.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 53; Agreement required.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>53. (1) The licensee of a retirement home shall enter into a written agreement with every resident of the home before the resident commences residency in the home.</p>

Inspection Finding

The routine inspection revealed that the Licensee failed to enter into a written agreement with a resident prior to or on the date of the resident's admission to the home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

(i) the loss of essential services,

(iii) medical emergencies,

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

Inspection Finding

The Licensee's emergency plan is aligned with the legislation; however, the home failed to provide documented evidence to support that the home completed the required annual testing of their emergency plan in the noted areas. Further, community partners were identified; however, current letters of understanding were not in place for all the partners listed.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.

The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The routine inspection revealed the Licensee failed to ensure that all staff reviewed completed training in the noted areas prior to the commencement of work in the home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 4, 2019
---	--------------------------