

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 15, 2019	Name of Inspector: Debbie Rydall
Inspection Type: Routine Inspection	
Licensee: Clurelea Ltd / 481 Victoria Street, Alliston, ON L9R 1J8 (the "Licensee")	
Retirement Home: Good Samaritan Retirement Lodge / 481 Victoria Street, Alliston, ON L9R 1J8 (the "home")	
Licence Number: T0068	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; (f) fire prevention and safety; <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p> <p>27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,</p>

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

Employee training records reviewed at the time of the inspection revealed that not all staff had received the required training prior to commencing work in the home as per the requirements of the legislation.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with O. Reg. 166/11, s. 22; Risk of falls.

Specifically, the Licensee failed to comply with the following subsection(s):

22. (1) Every licensee of a retirement home shall develop, document and implement strategies to reduce or mitigate the risk of falls in common areas of the home.

Inspection Finding

The routine inspection revealed that the Home had not developed the required strategies to reduce or mitigate the risk of falls in common areas of the home as per the requirements of the legislation.

Outcome

The Licensee submitted a plan to achieve compliance by April 15, 2019. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 23; Behaviour management.

Specifically, the Licensee failed to comply with the following subsection(s):

23. (1) Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,

- (a) techniques to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (b) strategies for interventions to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (c) strategies for monitoring residents that have demonstrated behaviours that pose a risk to the resident or others in the home;
- (d) protocols for how staff and volunteers shall report and be informed of resident behaviours that pose a risk to the resident or others in the home.


<p>Inspection Finding</p> <p>The routine inspection revealed that the Home had not developed the required written behaviour management strategy as per the legislation.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by April 15, 2019. RHRA to confirm compliance by inspection.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the “RHRA”) and the home’s Residents’ Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

<p>Signature of Inspector</p> 	<p>Date</p> <p>March 6, 2019</p>
---	----------------------------------