

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> February 19, 2019	<b>Name of Inspector:</b> Michele Davidson
<b>Inspection Type:</b> Mandatory Reporting Inspection	
<b>Licensee:</b> Eldercare Equities Inc. / 6257 Main Street, Stouffville, ON L4A 4J3 (the "Licensee")	
<b>Retirement Home:</b> Buckingham Manor / 6257 Main Street, Stouffville, ON L4A 4J3 (the "home")	
<b>Licence Number:</b> T0154	

Purpose of Inspection
The RHRA received a report under section 75(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (4)</b> The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p><b>24. (5)</b> The licensee shall, (b) at least once every two years, conduct a planned evacuation of the retirement home;</p> <p><b>25. (3)</b> The licensee shall ensure that the emergency plan provides for the following:</p> <p>1. Dealing with, i. fires,</p>
<p><b>Inspection Finding</b></p> <p>The Licensee's emergency plan did not contain an approved fire plan, nor evidence the home had an agreement for shelter in the event of an emergency.</p>
<p><b>Outcome</b></p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p><b>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</b></p>

**The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.**

**The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**

**The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

**65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(c) the protection afforded for whistle-blowing described in section 115;

(d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

**65. (5)** The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

3. Behaviour management.

**14. (1)** For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**27. (9)** The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

**Inspection Finding**

The Licensee conducted training on templates, but records revealed that training had not been conducted on any site-specific modules.

**Outcome**


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date March 20, 2019
---	------------------------