

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> March 19, 2019	<b>Name of Inspector:</b> Mark Dennis
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> FG KW Retirement Living Inc. / 5400 Yonge Street, Toronto, ON M2N 5R5 (the "Licensee")	
<b>Retirement Home:</b> Kingsway Place By Fieldgate Retirement Living / 145 Murray Drive, Aurora, ON L4G 2C7 (the "home")	
<b>Licence Number:</b> T0445	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (4)</b> The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p><b>25. (5)</b> The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>
<p><b>Inspection Finding</b></p> <p>During the inspection the Licensee was unable to show that the emergency plan contained the prescribed content. Further, there was no evidence that the emergency plan had been evaluated annually.</p>
<p><b>Outcome</b></p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p><b>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</b></p>

Specifically, the Licensee failed to comply with the following subsection(s):

**65. (4)** The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

**14. (2)** For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

**Inspection Finding**

During the inspection the Licensee was unable to show that staff have been trained annually on the home zero tolerance of abuse and neglect policy.

**Outcome**


The Licensee has submitted a plan to achieve compliance by April 19, 2019. RHRA to confirm compliance by inspection.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date April 2, 2019
---	-----------------------