

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: May 9, 2019	Name of Inspector: Georges Gauthier
Inspection Type: Routine Inspection	
Licensee: Sienna Ontario RH GP Inc. / 302 Town Centre Boulevard , Markham, ON L3R 0E8 (the "Licensee")	
Retirement Home: Quinte Gardens Retirement Residence / 30 College Street, Belleville, ON K8P 0A9 (the "home")	
Licence Number: N0476	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p>(ii) situations involving a missing resident.</p> <p>25. (2) The licensee shall ensure that the development of the emergency plan includes,</p> <p>(a) consultation with the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency;</p> <p>(b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.</p> <p>25. (3) The licensee shall ensure that the emergency plan provides for the following:</p> <p>3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.</p>

Inspection Finding

On the day of inspection, the evidence did not demonstrate the listed items were fully addressed.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector		Date	May 24, 2019
------------------------	--	------	--------------