

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: May 29, 2019	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: 2604395 Ontario Inc. / 7139 Appletree Lane, Mississauga, ON L5W 1W5 (the "Licensee")	
Retirement Home: Hudson Manor / 36 Lawson Street, Tilbury, ON N0P 2L0 (the "home")	
Licence Number: S0445	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 53; Agreement required.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>53. (1) The licensee of a retirement home shall enter into a written agreement with every resident of the home before the resident commences residency in the home.</p>
<p>Inspection Finding</p> <p>The home was not able to demonstrate that all residents had a signed tenancy agreement prior to commencing residing in the home.</p>
<p>Outcome</p> <p>The Licensee advised they have taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p>

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iv) violent outbursts;
- (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

25. (3) The licensee shall ensure that the emergency plan provides for the following:

- 2. Evacuation of the retirement home, including a system in the home to account for the whereabouts of all residents in the event that it is necessary to evacuate and relocate residents and evacuate staff and others in case of an emergency.

Inspection Finding

The home's emergency plan and procedures were not all in alignment with the above-noted sections of the legislation.

Outcome

The Licensee advised they have taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

- 3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
- The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.**
- The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**
- The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure

that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The home was not able to demonstrate that all staff completed all required training prior to commencing working in the home.

Outcome

The Licensee submitted a plan to achieve compliance by June 30, 2019. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 32; Records.

Specifically, the Licensee failed to comply with the following subsection(s):

32. If the licensee or a member of the staff of a retirement home administers a drug or other substance to a resident, the licensee shall ensure that,

- (b) if a drug is administered, there is written evidence that the drug was prescribed for the resident by a person who is authorized to prescribe a drug under section 27 of the Regulated Health Professions Act, 1991;

Inspection Finding

The home was not able to demonstrate for all residents that when a medication was administered, there was written evidence that all drugs were prescribed for the resident by a person who is authorized to prescribe a drug under section 27 of the Regulated Health Professions Act, 1991.

Outcome

The Licensee advised they have taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date June 7, 2019
---	----------------------