

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> October 8, 2019	<b>Name of Inspector:</b> Tania Buko
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
<b>Retirement Home:</b> Chartwell Clair Hills Retirement Community / 530 Columbia Street, Waterloo, ON N2T 0B1 (the "home")	
<b>Licence Number:</b> T0464	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (4)</b> The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p><b>24. (5)</b> The licensee shall,</p> <ul style="list-style-type: none"> <li>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,           <ul style="list-style-type: none"> <li>(i) the loss of essential services,</li> <li>(ii) situations involving a missing resident,</li> <li>(iii) medical emergencies,</li> <li>(iv) violent outbursts;</li> </ul> </li> </ul>
<p><b>Inspection Finding</b></p> <p>Arrangements with community partners identified to be involved in responding to an emergency were either insufficient or not current. In addition, testing of the home's emergency plan in the noted areas was not completed within the required time period.</p>
<p><b>Outcome</b></p> <p>The Licensee submitted a plan to achieve compliance by October 24, 2019. RHRA to confirm compliance by</p>

inspection.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the “RHRA”) and the home’s Residents’ Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 16, 2019
---	--------------------------