

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: September 25, 2019	Name of Inspector: Chelisa Karran
Inspection Type: Routine Inspection	
Licensee: 1088416 Ontario Inc. / 512 Thunder Bridge Road, Lindsay, ON K9V 4R1 (the "Licensee")	
Retirement Home: Country Estates Retirement Home / 512 Thunder Bridge Road, Lindsay, ON K9V 4R1 (the "home")	
Licence Number: T0017	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").


NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 20; Food preparation.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.</p> <p>20. (4) The licensee shall ensure that whenever food is prepared in the retirement home, at least one person involved in preparing the food holds a current certificate in food handling from the local public health unit or has recently successfully completed a food handling training program equivalent to that offered by public health units.</p>
<p>Inspection Finding</p> <p>Annual raining for an employee was not aligned with the requirements of the legislation. The home was also unable to provide evidence of compliance regarding food handler certification at the time of inspection.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by December 1, 2019. RHRA to confirm compliance by inspection.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 18, 2019
---	--------------------------