

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

| Inspection Information | |
|---|---------------------------------------|
| Date of Inspection: December 10, 2019 | Name of Inspector: Mark Dennis |
| Inspection Type: Routine Inspection | |
| Licensee: 2596217 Ontario Inc. / 515 Consumer's Road, North York, ON M2J 4Z2 (the "Licensee") | |
| Retirement Home: Georgian Bay Seniors Lodge / 7 Harriet Street, Penetanguishene, ON L9M 1K8 (the "home") | |
| Licence Number: N0469 | |

| Purpose of Inspection |
|---|
| The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA"). |

| NON-COMPLIANCE |
|---|
| <p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; (f) fire prevention and safety; <p>65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.</p> <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p> |

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

During the inspection the Licensee was unable to show that staff training had been completed as prescribed.

Outcome

The Licensee must take corrective action to achieve compliance.

- 2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.
The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.**

Specifically, the Licensee failed to comply with the following subsection(s):

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

25. (3) The licensee shall ensure that the emergency plan provides for the following:

- 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

During the inspection the Licensee failed to show that the emergency plan included agreements with community partners. Further, there was no evidence that supplies put aside for an emergency have been tested as prescribed.

Outcome

The Licensee must take corrective action to achieve compliance.

- 3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Persons who approve plans of care.**

Specifically, the Licensee failed to comply with the following subsection(s):

62. (9) The licensee shall ensure that the following persons have approved the plan of care, including any revisions to it, and that a copy is provided to them:

1. The resident or the resident's substitute decision-maker.

Inspection Finding

During the inspection the Licensee was unable to show that a resident had a plan of care that had been approved as prescribed.

Outcome


The Licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

| | |
|---|---------------------------|
| Signature of Inspector  | Date December 30, 2019 |
|---|---------------------------|