

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> November 7, 2019	<b>Name of Inspector:</b> Sabrina Gill
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Armisaelcare Limited / 128 Cobble Hill Road, Halton Hills, ON L7J 2N6 (the "Licensee")	
<b>Retirement Home:</b> Christie Oaks Care Home / 128 Cobble Hill Road, Halton Hills, ON L7J 2N6 (the "home")	
<b>Licence Number:</b> T0507	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (5)</b> The licensee shall,</p> <ul style="list-style-type: none"> <li>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,           <ul style="list-style-type: none"> <li>(i) the loss of essential services,</li> <li>(ii) situations involving a missing resident,</li> <li>(iii) medical emergencies,</li> <li>(iv) violent outbursts;</li> </ul> </li> </ul>
<p><b>Inspection Finding</b></p> <p>The Licensee failed to on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, (i) the loss of essential services (ii)situations involving a missing resident (iii)medical emergencies, and (iv)violent outbursts</p>
<p><b>Outcome</b></p> <p>The Licensee took corrective action to achieve compliance.</p>
<p><b>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</b></p>

Specifically, the Licensee failed to comply with the following subsection(s):

**24. (5)** The licensee shall,

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

**Inspection Finding**

The Licensee failed to keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

**Outcome**

The Licensee took corrective action to achieve compliance.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector  	Date  January 6, 2020
---	-----------------------------