

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 16, 2019	Name of Inspector: Sabrina Gill
Inspection Type: Mandatory Reporting Inspection	
Licensee: Eurita Barbara Ashley / 657 Mount Pleasant Road, Mount Pleasant, ON N0E 1K0 (the "Licensee")	
Retirement Home: Brucefield Manor Retirement Home / 657 Mount Pleasant Road, Mount Pleasant, ON N0E 1K0 (the "home")	
Licence Number: S0312	

Purpose of Inspection
The RHRA received a report under section 75(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 17; Cleanliness.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>17. (1) Every licensee of a retirement home shall ensure that the common areas of the home, including the floors and any furnishings, equipment and linens in those areas, are clean and sanitary.</p>
<p>Inspection Finding</p> <p>The inspection illustrated that the residence did not ensure that the common areas of the home, including the floors and any furnishings, equipment and linens in those areas, are clean and sanitary.</p>
<p>Outcome</p> <p>The Licensee took corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 56; Format and retention of records.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>56. (3) The licensee shall ensure that each of the records is kept in a readable and useable format that allows a complete copy of the record to be readily produced.</p>
<p>Inspection Finding</p> <p>During the inspection, the Licensee failed to ensure that the required records were readily produced and accessible.</p>

Outcome

The Licensee took corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date January 9, 2020
---	-----------------------------