

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 16, 2020	Name of Inspector: Mark Tonkin
Inspection Type: Compliance Inspection	
Licensee: Tomclo Properties Ltd. / 860 The Greenway, Mississauga, ON L5G 1P6 (the "Licensee")	
Retirement Home: Greenway Lodge Retirement Home / 860 The Greenway, Mississauga, ON L5G 1P6 (the "home")	
Licence Number: T0190	

Purpose of Inspection
The RHRA conducts compliance inspections as set out in section 77(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><u>27. (5)</u> The licensee of a retirement home shall ensure that,</p> <p>(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p>(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,</p> <p>(ii) any guidance, advice or recommendations respecting coronavirus (COVID-19) that are given to long-term care homes by the Chief Medical Officer of Health and made available on the Government of Ontario's website respecting coronavirus (COVID-19);</p> <p>(0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;</p>
<p>Inspection Finding</p> <p>The home was unable to demonstrate implementation of the guidance and recommendations given by the Chief Medical Officer of Health, by the improper use of personal protective equipment by staff. In addition, the home was unable to provide evidence that staff members had received training in the proper use of personal protective equipment, specifically doffing and donning of said PPE.</p>
<p>Outcome</p> <p>The licensee submitted a plan to achieve compliance by June 29th, 2020. RHRA to confirm compliance by inspection.</p>

2. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

27. (5) The licensee of a retirement home shall ensure that,

(0.b) all reasonable steps are taken in the retirement home to follow,

(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,

(ii) any guidance, advice or recommendations respecting coronavirus (COVID-19) that are given to long-term care homes by the Chief Medical Officer of Health and made available on the Government of Ontario’s website respecting coronavirus (COVID-19);

(0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;

Inspection Finding

The home was unable to demonstrate implementation of the guidance and recommendations given by the Chief Medical Officer of Health by taking the necessary steps to maintain an adequate supply of PPE.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

27. (5) The licensee of a retirement home shall ensure that,

(0.b) all reasonable steps are taken in the retirement home to follow,

(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,

(ii) any guidance, advice or recommendations respecting coronavirus (COVID-19) that are given to long-term care homes by the Chief Medical Officer of Health and made available on the Government of Ontario’s website respecting coronavirus (COVID-19);

(0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;

Inspection Finding

The home was unable to demonstrate implementation of the guidance and recommendations given by the Chief Medical Officer of Health by having a contingency plan to increase staffing if necessary.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

- 27. (5)** The licensee of a retirement home shall ensure that,
- (0.b) all reasonable steps are taken in the retirement home to follow,
 - (i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,
 - (ii) any guidance, advice or recommendations respecting coronavirus (COVID-19) that are given to long-term care homes by the Chief Medical Officer of Health and made available on the Government of Ontario’s website respecting coronavirus (COVID-19);
 - (0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;

Inspection Finding

The home was unable to demonstrate implementation of the guidance and recommendations given by the Chief Medical Officer of Health regarding to best practices when screening essential visitors.

Outcome


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database, available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date June 30, 2020
---	-----------------------