

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 15, 2021	Name of Inspector: Michele Davidson
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 7070 Derrycrest Drive, Mississauga, ON L5W 0G5 (the "Licensee")	
Retirement Home: Chartwell Rouge Valley Retirement Residence / 5958 16th Avenue, Markham, ON L3P 3J3 (the "home")	
Licence Number: T0097	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p style="padding-left: 40px;">62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,</p> <ul style="list-style-type: none"> (a) a goal in the plan is met; (b) the resident's care needs change or the care services set out in the plan are no longer necessary; (c) the care services set out in the plan have not been effective.
<p>Inspection Finding</p> <p>At the time of the inspection, one of the residents charts reviewed indicated the resident's plan of care had not been reviewed within the prescribed timeline.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

(i) the loss of essential services,

(iii) medical emergencies,

Inspection Finding

At the time of the inspection, the Licensee had not completed all emergency drills. Specifically, medical emergencies and loss of an essential service drills had not been completed within twelve months .

Outcome


The Licensee submitted a plan to achieve compliance by February 11, 2021. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date February 9, 2021
---	--------------------------