

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 10, 2021	Name of Inspector: Mark Dennis
Inspection Type: Routine Inspection	
Licensee: Cedarcroft Stratford Limited Partnership / 175 Bloor Street, Toronto, ON M4W 3R8 (the "Licensee")	
Retirement Home: Cedarcroft Stratford Retirement Residence / 260 Church Street, Stratford, ON N5A 2R6 (the "home")	
Licence Number: S0092	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p>
<p>Inspection Finding</p> <p>During the inspection, the Licensee was unable to show that a new staff hire had completed the prescribed training.</p>
<p>Outcome</p>

At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

(iii) medical emergencies,

Inspection Finding

The Licensee emergency plan did not include the prescribed content. Specifically, there was no current arrangements with a community partner for emergency lodging and the annual testing for a medical emergency had not been completed.

Outcome


At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

<p>Signature of Inspector</p> 	<p>Date</p> <p>February 22, 2021</p>
---	--------------------------------------