

FINAL INSPECTION REPORT Under the Retirement Homes Act, 2010

Inspection Information

Date of Inspection: January 25, 2021 | **Name of Inspector:** Michele Clarke

Inspection Type: Mandatory Reporting Inspection

Licensee: Chartwell Master Care Corporation / 7070 Derrycrest Drive, Mississauga, ON L5W 0G5 (the

"Licensee")

Retirement Home: Chartwell Hollandview Trail Retirement Residence / 200 John West Way, Aurora, ON

L4G 0E4 (the "home")

Licence Number: T0458

Purpose of Inspection

The RHRA received a report under section 75(1) of the Retirement Homes Act, 2010 (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 67; Same, neglect.

Specifically, the Licensee failed to comply with the following subsection(s):

67. (2) Every licensee of a retirement home shall ensure that the licensee and the staff of the home do not neglect the residents.

Inspection Finding

The Licensee did not fully implement the home's falls policy, and failed to provide a resident with the care and assistance she required post-fall.

Outcome

The Licensee has demonstrated it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

Final Inspection Report Page 1 of 2



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database, available online at http://www.rhra.ca/en/retirement-home-database.

Signature of Inspector	Date
Michele Clarke	March 1, 2021

Final Inspection Report Page 2 of 2