

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> June 8, 2021	<b>Name of Inspector:</b> Heather Pozzo
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> West Shore Village Inc / 293 Perry Street, Port Perry, ON L9L 1S6 (the "Licensee")	
<b>Retirement Home:</b> West Shore Residence / 293 Perry Street, Port Perry, ON L9L 1S6 (the "home")	
<b>Licence Number:</b> T0024	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b><u>27. (5)</u></b> The licensee of a retirement home shall ensure that,</p> <p>(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p>(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act.</p>
<p><b>Inspection Finding</b></p> <p>There was no evidence to demonstrate compliance with Directive #3 in relation to a resident who returned from the hospital after a temporary absence.</p>
<p><b>Outcome</b></p> <p>At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.</p>
<p><b>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b><u>24. (5)</u></b> The licensee shall,</p> <p>(b) at least once every two years, conduct a planned evacuation of the retirement home.</p>

**Inspection Finding**

The Licensee failed to conduct a planned evacuation within the past two years.

**Outcome**


At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector	Date
	June 21, 2021