

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: August 4, 2021	Name of Inspector: Michele Davidson
Inspection Type: Routine Inspection	
Licensee: Ventas SSL Ontario II Inc. / 10350 Ormsby Park Place, Louisville, KY 40223 (the "Licensee")	
Retirement Home: Sunrise Senior Living of Richmond Hill / 9800 Yonge Street, Richmond Hill, ON L4C 0P5 (the "home")	
Licence Number: T0204	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <p>(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;</p>
<p>Inspection Finding</p> <p>Training records reviewed during the inspection, revealed that not all employees had received training in personal assistive services devices.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community</p>

agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (iii) medical emergencies,
- (iv) violent outbursts;

Inspection Finding

At the time of the inspection, emergency response records indicated the home had not completed emergency drills within the last twelve months, for those situations listed.

Outcome

The Licensee submitted a plan to achieve compliance by September 8, 2021. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>M. Davidson</i>	Date August 24, 2021
----------------------------------------------	-------------------------