

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: August 30, 2021	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: Rykka Care Centres LP / 3760 14th Avenue, Markham, ON L3R 3T7 (the "Licensee")	
Retirement Home: Lifetimes on Riverside / 3387 Riverside Drive , Windsor, ON N8Y 1A8 (the "home")	
Licence Number: S0232	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; (f) fire prevention and safety; <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p> <p>27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,</p> <ul style="list-style-type: none"> (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

<p>(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.</p>
<p>Inspection Finding</p> <p>The home was not able to demonstrate that they had completed all required training with staff at orientation.</p>
<p>Outcome</p> <p>The Licensee advised they have taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>27. (5) The licensee of a retirement home shall ensure that,</p> <p style="padding-left: 40px;">(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p style="padding-left: 80px;">(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,</p>
<p>Inspection Finding</p> <p>The home was not able to demonstrate they were following all directives respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act, namely once daily symptom checks of residents.</p>
<p>Outcome</p> <p>The Licensee advised they have taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>3. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p style="padding-left: 40px;">(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p style="padding-left: 80px;">(i) the loss of essential services,</p> <p style="padding-left: 40px;">(b) at least once every two years, conduct a planned evacuation of the retirement home;</p>
<p>Inspection Finding</p> <p>The home was not able to demonstrate that they had completed all required testing of their emergency plan.</p>

Outcome

The Licensee submitted a plan to achieve compliance by November 3, 2021. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date September 13, 2021
--	----------------------------