

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: August 24, 2021	Name of Inspector: Gina Cook
Inspection Type: Routine Inspection	
Licensee: Ventas SSL Ontario II Inc. / 10350 Ormsby Park Place, Louisville, KY 40223 (the "Licensee")	
Retirement Home: Sunrise Senior Living of Unionville / 38 Swansea Road, Markham, ON L3R 5K2 (the "home")	
Licence Number: T0202	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p>(i) the loss of essential services,</p> <p>(iii) medical emergencies,</p> <p>(iv) violent outbursts;</p>
<p>Inspection Finding</p> <p>On the day of the inspection the Licensee could not provide evidence of annual testing in the required areas.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

24. (5) The licensee shall,
(b) at least once every two years, conduct a planned evacuation of the retirement home;

Inspection Finding

On the day of the inspection the Licensee could not provide evidence of a full evacuation drill being completed within the past two years.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

Specifically, the Licensee failed to comply with the following subsection(s):

14. (3) For the purposes of paragraph 5 of subsection 65 (5) of the Act, every licensee of a retirement home shall ensure that every staff member who provides a care service to a resident has received or receives training in,
(b) each care service offered in the home so that the staff member is able to understand the general nature of each of those services, the standards applicable under the Act to each of those services and the aspects of each of those services that may be relevant to the staff member’s own duties in the home.

Inspection Finding

On the day of the inspection the Licensee was unable to provide evidence that staff had received annual training specifically relating to medication administration.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>G. Cook</i>	Date October 13, 2021
--	------------------------------