

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: September 14, 2021	Name of Inspector: Gina Cook
Inspection Type: Routine Inspection	
Licensee: BayBridge (Stoney Creek) Inc. / 20 Queen Street , Toronto, ON M5H 3R4 (the “Licensee”)	
Retirement Home: Amica Stoney Creek / 135 King Street E, Stoney Creek, ON L8G 1J8 (the “home”)	
Licence Number: S0403	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the “RHA”).

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 22; Risk of falls.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>22. (1) Every licensee of a retirement home shall develop, document and implement strategies to reduce or mitigate the risk of falls in common areas of the home.</p> <p>22. (2) If a resident of a retirement home falls in a common area of the home or while being assisted by the licensee or staff, the licensee shall ensure that,</p> <ul style="list-style-type: none"> (b) corrective action is taken as necessary to prevent future harm to residents; (c) the licensee or a staff member documents the fall, the response to the fall and the corrective actions taken, if any. <p>22. (3) If a resident of a retirement home falls in the home in circumstances other than those described in subsection (2) and the licensee or a staff member becomes aware of the fall, the licensee shall ensure that the licensee or a staff member documents the fall, the response to the fall and the corrective actions taken, if any.</p> <p>22. (4) Every licensee of a retirement home shall keep a written record of all falls for which the licensee is required to ensure documentation under subsection (2) or (3) and that occur in each year, evaluate the risk of falls in the home at least annually and keep a written record of each evaluation.</p>
<p>Inspection Finding</p> <p>The Licensee failed to fully implement their falls prevention policy.</p>

Outcome

The Licensee submitted a plan to achieve compliance by October 26, 2021. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.

Specifically, the Licensee failed to comply with the following subsection(s):

62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,
(b) the resident's care needs change or the care services set out in the plan are no longer necessary;

Inspection Finding

The Licensee failed to ensure that a resident's plan of care was updated when the care needs changed relating to risk of falls.

Outcome

The Licensee submitted a plan to achieve compliance by October 22, 2021. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>G. Cook</i>	Date October 26, 2021
--	------------------------------