

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: September 30, 2021	Name of Inspector: Rachelle Harber
Inspection Type: Routine Inspection	
Licensee: Tufford Manor Retirement Residence Limited / 312 Queenston Street, St.Cathrines, ON L2P 2X4 (the "Licensee")	
Retirement Home: Tufford Manor / 312 Queenston Street, St. Catharines, ON L2P 2X4 (the "home")	
Licence Number: S0471	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 59; Procedure for complaints to licensee.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>59. (1) Every licensee of a retirement home shall ensure that every written or verbal complaint made to the licensee or a staff member concerning the care of a resident or operation of the home is dealt with as follows:</p> <ol style="list-style-type: none"> 4. A response shall be made to the person who made the complaint, indicating, <ol style="list-style-type: none"> i. what the licensee has done to resolve the complaint, ii. that the licensee believes the complaint to be unfounded and the reasons for the belief. 2. The complaint shall be resolved if possible, and a response that complies with paragraph 4 provided within 10 business days of the receipt of the complaint. 3. For those complaints that cannot be investigated and resolved within 10 business days, an acknowledgement of receipt of the complaint shall be provided within 10 business days of receipt of the complaint, including the date by which the complainant can reasonably expect a resolution, and a follow-up response that complies with paragraph 4 shall be provided as soon as possible in the circumstances. <p>59. (2) The licensee shall ensure that a written record is kept in the retirement home that includes,</p> <ol style="list-style-type: none"> (c) the type of action taken to resolve the complaint, including the date of the action, time frames for actions to be taken and any follow-up action required; (d) the final resolution, if any, of the complaint; (e) every date on which any response was provided to the complainant and a description of the response;

<p>(f) any response made in turn by the complainant.</p>
<p>Inspection Finding The Licensee failed to meet the legislative requirements related to the homes procedure for complaints including keeping a written record.</p>
<p>Outcome The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Assessment of resident.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>62. (6) The licensee shall ensure that the plan of care is based on an assessment of the resident and the needs and preferences of the resident.</p>
<p>Inspection Finding The Licensee failed to meet the legislative requirements related to plans of care as listed.</p>
<p>Outcome The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program. The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents’ Bill of Rights; (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; (f) fire prevention and safety; <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the</p>

Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

55. (5) A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,

- (c) the skills, qualifications and training of the staff who work in the home;

Inspection Finding

The Licensee failed to meet the legislative requirements related to staff training as listed.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

27. (5) The licensee of a retirement home shall ensure that,

- (0.b) all reasonable steps are taken in the retirement home to follow,
 - (i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,

Inspection Finding

The Licensee failed to actively screen all visitors for COVID-19 symptoms and exposure.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

5. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and

resources that will be involved in responding to an emergency.

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(b) at least once every two years, conduct a planned evacuation of the retirement home;

25. (3) The licensee shall ensure that the emergency plan provides for the following:

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

The Licensee failed to meet the legislative requirements related to the homes emergency plan as listed.

Outcome

The Licensee submitted a plan to achieve compliance by December 1, 2021. RHRA to confirm compliance by inspection.

6. The Licensee failed to comply with O. Reg. 166/11, s. 19; Maintenance.

Specifically, the Licensee failed to comply with the following subsection(s):

19. (1) Every licensee of a retirement home shall ensure that a maintenance program is in place to ensure that the building forming the retirement home, including both interior and exterior areas and its operational systems, are maintained in good repair.

Inspection Finding

Evidence shows that the carpeting in certain areas of the home could present as a tripping hazard. The Licensee shall ensure that a maintenance program is in place to ensure the carpet is maintained in good repair.

Outcome

The Licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector  RN	Date October 30, 2021
---	--------------------------