

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: November 16, 2021	Name of Inspector: Rachelle Harber
Inspection Type: Routine Inspection	
Licensee: Golden Pond Retirement Lodge Ltd. / 770 Norfolk Street North, Simcoe, ON N3Y 4L1 (the "Licensee")	
Retirement Home: Golden Pond Retirement Lodge / 39 Alice Street, Waterford, ON N0E 1Y0 (the "home")	
Licence Number: S0505	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><u>27. (5)</u> The licensee of a retirement home shall ensure that,</p> <p style="padding-left: 40px;">(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p style="padding-left: 80px;">(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,</p> <p style="padding-left: 40px;">(0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;</p>
<p>Inspection Finding</p> <p>The Licensee did not meet the requirements set out in this section related to infection prevention and control.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p>

Specifically, the Licensee failed to comply with the following subsection(s):

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

24. (5) The licensee shall,

(b) at least once every two years, conduct a planned evacuation of the retirement home;

25. (3) The licensee shall ensure that the emergency plan provides for the following:

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

The Licensee failed to meet the requirements set out in this section related to the homes emergency plan.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector  RN	Date December 1, 2021
-------------------------------------------------------------------------------------------------------------------	--------------------------