

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> December 16, 2021	<b>Name of Inspector:</b> Heather Pozzo
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Oshawa Coldstream Retirement Limited Partnership / 7250 Taschereau Boulevard, Brossard, QC J4W 1M9 (the "Licensee")	
<b>Retirement Home:</b> Bloom / 1224 Coldstream Drive, Oshawa, ON L1K 0J6 (the "home")	
<b>Licence Number:</b> T0604	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</b>  <b>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</b>  <b>The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>65. (2)</b> Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> <li>(a) the Residents' Bill of Rights;</li> <li>(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;</li> <li>(c) the protection afforded for whistle-blowing described in section 115;</li> <li>(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;</li> <li>(f) fire prevention and safety.</li> </ul> <p><b>14. (1)</b> For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p> <p><b>27. (9)</b> The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,</p>


<p>(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;</p> <p>(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.</p>
<p><b>Inspection Finding</b></p> <p>The listed items have not been addressed in relation to mandatory staff training.</p>
<p><b>Outcome</b></p> <p>At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.</p>

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the “RHRA”) and the home’s Residents’ Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

<p>Signature of Inspector</p> 	<p>Date</p> <p>December 31, 2021</p>
---	--------------------------------------