

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: December 3, 2021	Name of Inspector: Rachelle Harber
Inspection Type: Routine Inspection	
Licensee: Pranajen Group Ltd. / 220 Dundas Street, Whitby, ON L1N 8M7 (the "Licensee")	
Retirement Home: Monarch Memory Care / 7715 Beaverdams Road, Niagara Falls, ON L2H 2J4 (the "home")	
Licence Number: S0089	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><u>27. (5)</u> The licensee of a retirement home shall ensure that,</p> <p style="padding-left: 40px;">(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p style="padding-left: 80px;">(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,</p>
<p>Inspection Finding</p> <p>The Licensee failed to meet the requirements set out in this section related to physical distancing and visitors policy.</p>
<p>Outcome</p> <p>The Licensee must take corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The Licensee failed to meet the requirements set out in this section related to staff training.

Outcome

The Licensee must take corrective action to achieve compliance.

3. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

25. (3) The licensee shall ensure that the emergency plan provides for the following:

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

The Licensee failed to meet the requirements set out in this section related to the homes emergency plan.

Outcome

The Licensee must take corrective action to achieve compliance.

4. The Licensee failed to comply with O. Reg. 166/11, s. 41; Dementia care program.

Specifically, the Licensee failed to comply with the following subsection(s):

41. (5) The program shall be evaluated at least annually and the licensee shall keep a written record of each evaluation.

Inspection Finding

The Licensee failed to meet the requirements set out in this section related to the homes dementia care program.

Outcome


The Licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector  RN	Date January 5, 2022
---	-------------------------