

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: December 24, 2021	Name of Inspector: Melissa Meikle
Inspection Type: Mandatory Reporting Inspection	
Licensee: ACGH Investments Inc. / 889 Elmsmere Road, Gloucester, ON K1J 9L5 (the "Licensee")	
Retirement Home: Villa Elmsmere Villa / 889 Elmsmere Road, Gloucester, ON K1J 9L5 (the "home")	
Licence Number: N0385	

Purpose of Inspection
The RHRA received a report under section 75(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>27. (5) The licensee of a retirement home shall ensure that,</p> <p>(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p>(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,</p>
<p>Inspection Finding</p> <p>The Licensee failed to comply with the directive related to wearing required personal protective equipment. Furthermore, the Licensee did not complete active screening nor follow the instructions of the rapid antigen testing.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

Ten of eighteen staff have not completed infection control training as required.

Outcome

The Licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database, available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date January 10, 2022
---	--------------------------