

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 11, 2022	Name of Inspector: Heather Pozzo
Inspection Type: Routine Inspection	
Licensee: Oxford SC King Midland LP / 5420 North Service Road, Burlington, ON L7L 6C7 (the "Licensee")	
Retirement Home: King Place / 750 King Street, Midland, ON L4R 0B8 (the "home")	
Licence Number: N0496	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Persons who approve plans of care. The Licensee failed to comply with O. Reg. 166/11, s. 47; Development of plan of care.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>62. (9) The licensee shall ensure that the following persons have approved the plan of care, including any revisions to it, and that a copy is provided to them:</p> <p>1. The resident or the resident's substitute decision-maker.</p> <p>47. (5) If an assessment of a resident indicates that the resident's care needs may include dementia care, skin and wound care or the use of a personal assistance services device, the licensee shall ensure that an interdisciplinary care conference is held as part of the development of the resident's plan of care and that the resident's plan of care takes into account the results of the care conference.</p>
<p>Inspection Finding</p> <p>The listed items were not addressed in relation to some resident's plans of care.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p>

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

(iii) medical emergencies.

Inspection Finding

The listed item was not addressed in relation to the annual emergency testing plan.

Outcome

At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

<p>Signature of Inspector</p> 	<p>Date</p> <p>January 26, 2022</p>
---	-------------------------------------