

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: December 15, 2021	Name of Inspector: Shara Bundy
Inspection Type: Routine Inspection	
Licensee: Sienna Ontario RH GP Inc. / 302 Town Centre Boulevard , Markham, ON L3R 0E8 (the "Licensee")	
Retirement Home: Kingsmere Retirement Residence / 287 King Street, Alliston, ON L9R 0C4 (the "home")	
Licence Number: T0527	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 21; Hazardous substances.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>21. (2) Every licensee of a retirement home shall ensure that all hazardous substances used by staff of the home or under their control are labelled properly and are kept inaccessible to residents at all times.</p>
<p>Inspection Finding</p> <p>The Licensee failed to ensure that hazardous substances are inaccessible to residents. Specifically the housekeeping cart was left unlocked while unattended.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,</p> <p>(b) the resident's care needs change or the care services set out in the plan are no longer necessary;</p>
<p>Inspection Finding</p>

The Licensee failed to revise the plan of care to identify falls prevention strategies for a resident who experienced multiple falls and who has been identified as a medium risk for falls.

Outcome

The Licensee has submitted a plan to achieve compliance by March 15, 2022. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 22; Risk of falls.

Specifically, the Licensee failed to comply with the following subsection(s):

22. (3) If a resident of a retirement home falls in the home in circumstances other than those described in subsection (2) and the licensee or a staff member becomes aware of the fall, the licensee shall ensure that the licensee or a staff member documents the fall, the response to the fall and the corrective actions taken, if any.

Inspection Finding

The Licensee failed to document corrective action as well as strategies to mitigate the risk of falls for a resident who experienced multiple falls and was at a medium risk for falls.

Outcome

The Licensee has submitted a plan to achieve compliance by March 15, 2022. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

(iv) violent outbursts;

(b) at least once every two years, conduct a planned evacuation of the retirement home;

Inspection Finding

The Licensee failed to keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency. Additionally, the Licensee failed to, on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to violent outbursts, and at least once every two years, conduct a planned evacuation of the retirement home.

<p>Outcome</p> <p>The Licensee has submitted a plan to achieve compliance by February 28, 2022. RHRA to confirm compliance by inspection.</p>
<p>5. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>14. (5) The licensee shall ensure that the persons who are required to receive the training described in subsection 65 (5) of the Act receive that training on an ongoing basis, namely at least annually after receiving the training described in subsection (4).</p> <p>29. If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that,</p> <ul style="list-style-type: none"> (e) if the licensee or a staff member is involved in the administration of the drug or other substance at the home, that the licensee or staff member is trained in, <ul style="list-style-type: none"> (i) ways of reducing the incidence of infectious disease, including maintaining proper hand hygiene, (ii) the safe disposal of syringes and other sharps, (iii) recognizing an adverse drug reaction and taking appropriate action; (c) neither the licensee nor a staff member administers a drug to a resident in the home unless the licensee or the staff member has received training in the procedures applicable to the administration of the drug;
<p>Inspection Finding</p> <p>The Licensee failed to provide evidence that staff members who administer a drug to a resident in the home have received training in the procedures applicable to the administration of the drug. The licensee also failed to provide evidence that staff members administering medication are trained in maintaining proper hand hygiene, the safe disposal of syringes and other sharps, and recognizing an adverse drug reaction and taking appropriate action. Further the Licensee failed to ensure that this training is completed annually.</p>
<p>Outcome</p> <p>The Licensee has submitted a plan to achieve compliance by February 28, 2022. RHRA to confirm compliance by inspection.</p>
<p>6. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The Licensee failed to ensure that no staff work in the home unless they have received the required training.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>Shara Bundy</i>	Date February 8, 2022
--	------------------------------