

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

| Inspection Information | |
|--|--|
| Date of Inspection: January 7, 2022 | Name of Inspector: Michele Clarke |
| Inspection Type: Routine Inspection | |
| Licensee: 1582611 Ontario Ltd. / 38 Godfrey Rd, Copper Cliff, ON P0M 1N0 (the "Licensee") | |
| Retirement Home: The Walford On The Park (Copper Cliff) / 38 Godfrey Drive, Copper Cliff, ON P0M 1N0 (the "home") | |
| Licence Number: N0172 | |

| Purpose of Inspection |
|---|
| The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA"). |

| NON-COMPLIANCE |
|--|
| <p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; <p>65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.</p> <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p> <p>14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.</p> |

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,
(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

At the time of inspection, the Licensee was unable to provide evidence of staff training, in the prescribed areas.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(b) at least once every two years, conduct a planned evacuation of the retirement home;

25. (3) The licensee shall ensure that the emergency plan provides for the following:

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

At the time of inspection, the Licensee was unable to provide evidence of testing of the emergency plan. Furthermore, the Licensee did not have sufficient supplies set aside to be used in the event of an emergency and evidence of testing of these resources.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

| | |
|---|-------------------------------|
| Signature of Inspector  | Date February 22, 2022 |
|---|-------------------------------|