

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 1, 2022	Name of Inspector: Michele Clarke
Inspection Type: Routine Inspection	
Licensee: 2259976 Ontario Inc. / 1685 3rd Avenue, Owen Sound, ON N4K 4R3 (the "Licensee")	
Retirement Home: Kelso Pines Retirement Home / 1685 3rd Avenue, Owen Sound, ON N4K 4R3 (the "home")	
Licence Number: S0105	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><u>27. (5)</u> The licensee of a retirement home shall ensure that,</p> <p>(0.b) all reasonable steps are taken in the retirement home to follow,</p> <p>(i) any directive respecting coronavirus (COVID-19) issued to long-term care homes by the Chief Medical Officer of Health under section 77.7 of the Health Protection and Promotion Act,</p> <p>(ii) any guidance, advice or recommendations respecting coronavirus (COVID-19) that are given to long-term care homes by the Chief Medical Officer of Health and made available on the Government of Ontario's website respecting coronavirus (COVID-19);</p> <p>(0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;</p>
<p>Inspection Finding</p> <p>The Licensee failed to follow recommendations given to retirement homes by the Chief Medical Officer of Health and failed to take reasonable steps to follow directives with respect to coronavirus (COVID-19) from the Chief Medical Officer of Health; specifically pertaining to proper protocols for IPAC and PPE, staff training on IPAC and proper environmental cleaning during an outbreak.</p>
<p>Outcome</p> <p>At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date February 22, 2022
---	-------------------------------