

FINAL INSPECTION REPORT

Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 10, 2022	Name of Inspector: Jennifer Sarkis
Inspection Type: Routine Inspection	
Licensee: Dome Porcupine Transitional Living Centre / 200 Bruce Avenue, South Porcupine, ON P0N 1H0 (the "Licensee")	
Retirement Home: Spruce Hill Lodge / 200 Bruce Avenue, South Porcupine, ON P0N 1H0 (the "home")	
Licence Number: N0090	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months.</p>
<p>Inspection Finding</p> <p>The Licensee failed to revise four plans of care within the required time.</p>
<p>Outcome</p> <p>The Licensee must take corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <p style="padding-left: 40px;">(a) the Residents' Bill of Rights;</p>

- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

14. (5) The licensee shall ensure that the persons who are required to receive the training described in subsection 65 (5) of the Act receive that training on an ongoing basis, namely at least annually after receiving the training described in subsection (4).

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The Licensee failed to ensure all staff completed annual training.

Outcome

The Licensee must take corrective action to achieve compliance.

3. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

- (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,
 - (i) the loss of essential services,

- (ii) situations involving a missing resident,
 - (iii) medical emergencies,
 - (iv) violent outbursts;
- (b) at least once every two years, conduct a planned evacuation of the retirement home;

Inspection Finding

The Licensee failed to ensure testing of their emergency plan was completed. Specifically, the home could not show evidence of annual testing to respond to a missing resident, medical emergency, violent outburst and loss of essential service. Furthermore, the home has not completed testing of their evacuation plan within the past 2 years.

Outcome

The Licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date March 1, 2022
--	-----------------------