

FINAL INSPECTION REPORT Under the Retirement Homes Act, 2010

Inspection Information

Date of Inspection: March 15, 2022 | **Name of Inspector:** Nathalie Bartlett

Inspection Type: Routine Inspection

Licensee: HCN-Revera Lessee (Alta Vista) LP / 5015 Spectrum Way, Mississauga, ON L4W 0E4 (the

"Licensee")

Retirement Home: Alta Vista Manor / 751 Peter Morand Crescent, Ottawa, ON K1G 6S9 (the "home")

Licence Number: N0393

Purpose of Inspection

The RHRA conducts routine inspections as set out in section 77(3) of the *Retirement Homes Act, 2010* (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

- 24. (5) The licensee shall,
 - (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,
 - (i) the loss of essential services,

Inspection Finding

The Licensee failed to test on an annual basis the emergency plan related to loss of essential services.

Outcome

At the time of inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

Final Inspection Report Page 1 of 2



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at http://www.rhra.ca/en/retirement-home-database.

Signature of Inspector	Date
Nathalia Bartlat	March 18, 2022

Final Inspection Report Page 2 of 2