

FINAL INSPECTION REPORT Under the *Retirement Homes Act, 2010*

Inspection Information

Date of Inspection: May 2, 2022 | **Name of Inspector:** Melissa Meikle

Inspection Type: Routine Inspection

Licensee: 2739117 Ontario Inc. / 350 Lakeshore Road, Oakville, ON L6J 1J6 (the "Licensee")

Retirement Home: Villa St. Albert / 17 Genier Street, St. Albert, ON KOA 3C0 (the "home")

Licence Number: N0552

Purpose of Inspection

The RHRA conducts routine inspections as set out in section 77(3) of the *Retirement Homes Act, 2010* (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.

Specifically, the Licensee failed to comply with the following subsection(s):

62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,

(b) the resident's care needs change or the care services set out in the plan are no longer necessary;

Inspection Finding

Two plans of care were not revised as required.

Outcome

The Licensee submitted a plan to achieve compliance by June 1, 2022. RHRA to confirm compliance by inspection.

Final Inspection Report Page 1 of 2



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at http://www.rhra.ca/en/retirement-home-database.

Signature of Inspector	Date
Sport	May 10, 2022

Final Inspection Report Page 2 of 2