

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 6, 2022	Name of Inspector: Douglas Crust
Inspection Type: Mandatory Reporting Inspection	
Licensee: Baybridge (Brampton) Inc. / 20 Queen Street, Toronto, ON M5H 3R3 (the "Licensee")	
Retirement Home: Amica Peel Village / 223 Main Street, Brampton, ON L6Y 6H1 (the "home")	
Licence Number: T0528	

Purpose of Inspection
The RHRA received a report under section 75(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>27. (5) The licensee of a retirement home shall ensure that,</p> <p>(0.a) any guidance, advice or recommendations given to retirement homes by the Chief Medical Officer of Health are followed in the retirement home;</p>
<p>Inspection Finding</p> <p>A report was made to RHRA regarding suspected improper care of a resident. The hand sanitizer available for use in the area designated for COVID-19 rapid antigen testing did not meet the established requirements.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by following up with the Licensee or by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p>

(iii) medical emergencies,
<p>Inspection Finding</p> <p>The evidence provided during the inspection failed to confirm that the section of the emergency plan dealing with medical emergencies was tested as prescribed.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by November 17, 2022. RHRA to confirm compliance by following up with the Licensee or by inspection</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the “RHRA”) and the home’s Residents’ Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database, available online at <http://www.rhra.ca/en/retirement-home-database>.

<p>Signature of Inspector</p> 	<p>Date</p> <p>November 15, 2022</p>
---	--------------------------------------