

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: November 24, 2022	Name of Inspector: Mark Dennis
Inspection Type: Routine Inspection	
Licensee: Livita OPCO Barrington Inc. / 4476 Chesswood Drive, Toronto, ON M3J 2B9 (the "Licensee")	
Retirement Home: Livita Barrington Retirement Residence / 450 Yonge Street, Barrie, ON L4N 4E2 (the "home")	
Licence Number: T0583	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months.</p>
<p>Inspection Finding</p> <p>During the inspection the Inspector reviewed residents plans of care. There was one resident who had not had their plan of care updated in the previous 6 months. The Licensee failed to revise a residents plan of care as prescribed.</p>
<p>Outcome</p> <p>At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

Inspection Finding

During the inspection the Inspector reviewed staff training records. The inspection showed that the home was not training staff on the home zero tolerance of abuse and neglect policy. The Licensee failed to train staff in all area's prescribed by legislation.

Outcome

At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance

3. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (iv) violent outbursts;

Inspection Finding

During the inspection the Inspector review records that documented testing of the emergency plan. The inspection showed that annual testing of loss of an essential service and violent outbursts had not been completed. The Licensee failed to complete annual testing of the home emergency plan.

Outcome


At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date December 5, 2022
---	--------------------------