

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: March 2, 2023	Name of Inspector: Mark Dennis
Inspection Type: Routine Inspection	
Licensee: The Royale GP Corporation / 302 Town Centre Boulevard, Markham, ON L3R 0E8 (the "Licensee")	
Retirement Home: Aspira Waterford Barrie Retirement Living / 132 Edgehill Drive, Barrie, ON L4N 1M1 (the "home")	
Licence Number: N0471	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,</p> <p>(b) the resident's care needs change or the care services set out in the plan are no longer necessary;</p>
<p>Inspection Finding</p> <p>During the routine inspection, the Inspector reviewed a resident care file and learned that the residents care needs had changed. There is a required that should a resident care needs change, the plan of care must be revised to reflect the change in care needs. The Licensee failed to update the residents plan of care.</p>
<p>Outcome</p> <p>The Licensee has demonstrated it has taken corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p>

- (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,
- (i) the loss of essential services,
 - (iii) medical emergencies,
 - (iv) violent outbursts;

Inspection Finding

During the routine inspection, the Inspector reviewed testing of the homes emergency plan. There is a requirement that the home must annually test the home emergency plan for emergencies involving loss of an essential service, medical emergency and a violent outburst. The Licensee was unable to provide documentation demonstrating annual testing of these emergencies.

Outcome


The Licensee has demonstrated it has taken corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the “RHRA”) and the home’s Residents’ Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

<p>Signature of Inspector</p> 	<p>Date</p> <p>March 7, 2023</p>
---	----------------------------------