

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: March 2, 2023	Name of Inspector: Denise Tessier
Inspection Type: Routine Inspection	
Licensee: Sienna Ontario RH GP Inc. / 302 Town Centre Boulevard , Markham, ON L3R 0E8 (the "Licensee")	
Retirement Home: Aspira Island View Retirement Living / 30 Jack Crescent, Arnprior, ON K7S 3Y7 (the "home")	
Licence Number: N0477	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115; (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents; (f) fire prevention and safety; (h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4); <p>14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p> <p>27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,</p> <ul style="list-style-type: none"> (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;


<p>(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.</p>
<p>Inspection Finding</p> <p>The inspector reviewed a sample of staff training records and found that one staff member had not completed their training upon hire. The Licensee failed to ensure that staff were trained as required.</p>
<p>Outcome</p> <p>The Licensee has demonstrated it has taken corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (i) the loss of essential services, (b) at least once every two years, conduct a planned evacuation of the retirement home;
<p>Inspection Finding</p> <p>The inspector reviewed the Licensee’s records of testing for their emergency plans and found that the testing for situations involving the loss of essential services and full evacuation had not been completed in the past twelve months. The Licensee failed to ensure that testing was done annually as required.</p>
<p>Outcome</p> <p>The Licensee has demonstrated it has taken corrective action to achieve compliance.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the “RHRA”) and the home’s Residents’ Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

<p>Signature of Inspector</p> 	<p>Date</p> <p>March 15, 2023</p>
---	-----------------------------------