

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information

Date of Inspection: 4/19/2023

Name of Inspector: Melissa Meikle

Inspection Type: Responsive Inspection – Complaint

Licensee: ACC-002457 - Riverview Heights Limited Partnership

Retirement Home: Riverview Heights Retirement Residence

License Number: N0138

About Responsive Inspections

A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the *Retirement Homes Act, 2010* or its regulations (the “RHA”). An inspection being conducted does not infer that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.

Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)

During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the inspection and may take various actions to determine whether the licensee is compliant with the RHA in relating to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.

Not Applicable

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Additional Finding#1: CON-5152-Staff Training

RHRA Inspector Findings

As part of the inspection in response to the complaint, the inspector reviewed staff training records and found that 19 staff members had not completed annual training on the home’s policies relating to Zero Tolerance for Abuse and Complaints, nor did 4 new staff complete them upon hire. Furthermore, the 4 new staff have not completed training on the Residents’ Bill of Rights nor the protection afforded for whistleblowing upon hire. Lastly, there is no evidence of any training on the home’s policy of PASDs. The Licensee failed to ensure staff were trained as required.

Outcome

At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 14. (1); Staff training

s. 14. (1); Staff training

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

The Licensee failed to comply with the RHA s. 14. (2); Staff training

s. 14. (2); Staff training

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

The Licensee failed to comply with the RHA s. 65. (2); Training

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 65. (2), (a)

(a) the Residents' Bill of Rights;

s. 65. (2), (b)

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

s. 65. (2), (c)

(c) the protection afforded for whistle-blowing described in section 115;

s. 65. (2), (d)

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

The Licensee failed to comply with the RHA s. 65. (4); On-going training

s. 65. (4); On-going training

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Not Applicable

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector



Date

May 26, 2023