

FINAL INSPECTION REPORT

Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: 4/25/2023	Name of Inspector: Shara Bundy
Inspection Type: Responsive Inspection – Complaint	
Licensee: ACC-002671 - King Station GP Inc.	
Retirement Home: Sorrento Retirement Residence	
License Number: T0587	

About Responsive Inspections
A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the <i>Retirement Homes Act, 2010</i> or its regulations (the “<i>RHA</i>”). An inspection being conducted does not infer that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents. Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the <i>RHA</i>. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the <i>RHA</i>. Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the <i>RHA</i>. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists. In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices. If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)
<i>During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the inspection and may take various actions to determine whether the licensee is compliant with the RHA in relating to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.</i>
Concern #1: CON-4951
RHRA Inspector Findings A report was made to RHRA which included multiple allegations relating to the care and safety of residents. As part of the inspection in response to the report, the inspector reviewed records relating to the resident, and the reported incidents, as well as interviewed staff. The evidence reviewed did not confirm the allegation. However, the inspector found that the home had reviewed and revised the Plan of Care for the resident without completing a full assessment as required. Additionally, the Plan of Care did not include clear instructions to the staff responsible for administering medications to the resident, to ensure that the resident was taking the medications safely as prescribed. The Licensee failed to ensure that the Assessment and Plan of Care for a resident was completed as required.
Outcome The Licensee must take corrective action to achieve compliance.

Additional Findings
<i>During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.</i>
Additional Finding#1: CON-5344-Emergency Plan Testing
RHRA Inspector Findings Following up on previous non-compliance, the inspector reviewed the Emergency Plan documentation and found that the Licensee was unable to provide evidence that the home had, on an annual basis at least, tested the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, the loss

of essential services, situations involving a missing resident, medical emergencies, and violent outbursts; and at least once every two years, conduct a planned evacuation of the retirement home.

Outcome

The Licensee has demonstrated it has taken corrective action to achieve compliance.

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 62. (4); Contents of plan

s. 62. (4); Contents of plan

62. (4) The licensee of a retirement home shall ensure that there is a written plan of care for each resident of the home that sets out,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 62. (4), (b)

(b) the planned care services for the resident that the licensee will provide, including,

s. 62. (4), (b), 3.

(iii) clear directions to the licensee’s staff who provide direct care to the resident;

The Licensee failed to comply with the RHA s. 62. (6); Assessment of resident

s. 62. (6); Assessment of resident

62. (6) The licensee shall ensure that the plan of care is based on an assessment of the resident and the needs and preferences of the resident.

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Ontario Regulation 166/11:

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 1.

(i) the loss of essential services,

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 2.

(ii) situations involving a missing resident,

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 3.

(iii) medical emergencies,

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 4.

(iv) violent outbursts;

s. 24. (5); Emergency plan, general
24. (5) The licensee shall,

s. 24. (5), (b)
(b) at least once every two years, conduct a planned evacuation of the retirement home;

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home’s Residents’ Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar’s copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>Shara Bundy</i>	Date June 22, 2023
--	---------------------------