

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: 8/10/2023	Name of Inspector: Nathalie Bartlett
Inspection Type: Responsive Inspection – Mandatory Report	
Licensee: ACC-002766 - ASC (Eagleson) Facility Limited Partnership	
Retirement Home: The Courtyards on Eagleson	
License Number: N0455	

About Responsive Inspections

A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the *Retirement Homes Act, 2010* or its regulations (the “RHA”). An inspection being conducted does not infer that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.

Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)

During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the inspection and may take various actions to determine whether the licensee is compliant with the RHA in relating to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.

Concern #1: CON-6142-Abuse

RHRA Inspector Findings

A report was made to RHRA regarding alleged resident-to-resident abuse. As part of the inspection, the inspector reviewed the License's care policies and procedures, the resident's care files and interviewed relevant staff. While conducting this inspection, the inspector made a finding unrelated to the purpose of the inspection. The inspector found evidence through documentation and interviews that an incident of resident-to-resident abuse had occurred and had not been investigated, and had not been reported to the police, the POA or RHRA. The Licensee failed to ensure that a witnessed incident of abuse was investigated and reported as required.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 67. (4); Policy to promote zero tolerance

s. 67. (4); Policy to promote zero tolerance

67. (4) Without in any way restricting the generality of the duties described in subsections (1) and (2), the licensee shall ensure that there is a written policy to promote zero tolerance of abuse and neglect of residents and shall ensure that the policy is complied with.

The Licensee failed to comply with the RHA s. 74.; Licensee's duty to respond to incidents of wrongdoing

s. 74.; Licensee's duty to respond to incidents of wrongdoing

74. Every licensee of a retirement home shall ensure that,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 74. (a)

(a) every alleged, suspected or witnessed incident of the following of which the licensee knows or that is reported to the licensee is immediately investigated:

s. 74. (a), 1.

(i) abuse of a resident of the home by anyone,

The Licensee failed to comply with the RHA s. 75. (1); Reporting certain matters to Registrar

s. 75. (1); Reporting certain matters to Registrar

75. (1) A person who has reasonable grounds to suspect that any of the following has occurred or may occur shall immediately report the suspicion and the information upon which it is based to the Registrar:

Specifically, the Licensee failed to comply with the following subsection(s):

s. 75. (1), para. 2

2. Abuse of a resident by anyone or neglect of a resident by the licensee or the staff of the retirement home of the resident if it results in harm or a risk of harm to the resident.

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Not Applicable

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector

Nathali Bartlett

Date

September 5, 2023