

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information

Date of Inspection: August 30, 2023

Name of Inspector: Georges Gauthier

Inspection Type: Routine Inspection

Licensee: ACC-002775 - The Royale Development LP

Retirement Home: Aspira Island Park Retirement Living

License Number: T0287

About Routine Inspections

A routine inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. During a routine inspection, an RHRA inspector will walk through the home, speak to residents and staff, observe care services and conditions in the home, and ensure the licensee's management and staff follow mandatory policies and practices designed to protect the welfare of residents.

Following a routine inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home's Residents' Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If the licensee repeatedly does not meet the required standards, RHRA may take further action.

Focus Areas

During a routine inspection, an inspector will focus primarily on a set number of areas which have been identified as related to the health, safety and wellbeing of resident, and may take various actions to determine whether the licensee is compliant with the RHA in relating to the areas. The areas listed in this section are ones which an inspector has identified as non-compliant.

Focus Area #1: Emergency Plan

RHRA Inspector Findings

The inspector reviewed the Licensee's records of testing for their emergency plans and found that the testing for situations involving the loss of essential services and medical emergencies had not been completed within the previous 12 months. The Licensee failed to ensure that testing was done annually as required.

Outcome

The Licensee must take corrective action to achieve compliance.

Focus Area #2: Resident Record, Assessment, Plan of Care

RHRA Inspector Findings

The inspector reviewed a sample of resident care files and found that one resident's plan of care had not been approved by the home's nurse. Further, another resident's plan of care had been updated online but there was no evidence to show the plan had been approved by the resident or a substitute decision maker. The Licensee failed to ensure that the plan of care approval requirements had been fully met.

Outcome

The Licensee must take corrective action to achieve compliance.

Focus Area #3: Staff Training

RHRA Inspector Findings

The inspector reviewed training records for staff. The evidence showed that some staff had instances where not all the required training had been completed and that some staff had not completed retraining in some of the required areas. The Licensee failed to ensure the training and retraining requirements had been fully addressed.

Outcome

The Licensee must take corrective action to achieve compliance.

Additional Findings

During a routine inspection, an inspector may observe areas of non-compliance that are not related to the standard focus areas. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable

Current Inspection – Citations

Citations relating to the above Focus Areas or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 14. (1); Staff training

s. 14. (1); Staff training

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

The Licensee failed to comply with the RHA s. 14. (2); Staff training

s. 14. (2); Staff training

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

The Licensee failed to comply with the RHA s. 14. (5); Staff training

s. 14. (5); Staff training

14. (5) The licensee shall ensure that the persons who are required to receive the training described in subsection 65 (5) of the Act receive that training on an ongoing basis, namely at least annually after receiving the training described in subsection (4).

The Licensee failed to comply with the RHA s. 24. (5); Emergency plan, general

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 1.

(i) the loss of essential services,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 3.

(iii) medical emergencies,

The Licensee failed to comply with the RHA s. 27. (9); Infection prevention and control program

s. 27. (9); Infection prevention and control program

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 27. (9), (a)

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

s. 27. (9), (b)

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

The Licensee failed to comply with the RHA s. 62. (9); Persons who approve plans of care

s. 62. (9); Persons who approve plans of care

62. (9) The licensee shall ensure that the following persons have approved the plan of care, including any revisions to it, and that a copy is provided to them:

Specifically, the Licensee failed to comply with the following subsection(s):

s. 62. (9), para. 1

1. The resident or the resident's substitute decision-maker.

s. 62. (9), para. 2

2. The prescribed person if there is a person prescribed for the purpose of this paragraph.

The Licensee failed to comply with the RHA s. 65. (2); Training

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 65. (2), (a)

(a) the Residents' Bill of Rights;

s. 65. (2), (b)

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

s. 65. (2), (c)

(c) the protection afforded for whistle-blowing described in section 115;

s. 65. (2), (d)

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

s. 65. (2), (f)

(f) fire prevention and safety;

s. 65. (2), (g)

(g) the licensee's emergency evacuation plan for the home mentioned in subsection 60 (3);

s. 65. (2), (h)

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

The Licensee failed to comply with the RHA s. 65. (4); On-going training

s. 65. (4); On-going training

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Ontario Regulation 166/11:

s. 24. (4); Emergency plan, general

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector	Date October 16, 2023
------------------------	--------------------------