

## FINAL INSPECTION REPORT

### Under the *Retirement Homes Act, 2010*

#### Inspection Information

Date of Inspection: January 23, 2024

Name of Inspector: Douglas Crust

Inspection Type: Routine Inspection

Licensee: ACC-002614 - HCN-Revera Lessee (Centennial Park Place) LP

Retirement Home: Centennial Park Place

License Number: T0268

#### About Routine Inspections

A routine inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. During a routine inspection, an RHRA inspector will walk through the home, speak to residents and staff, observe care services and conditions in the home, and ensure the licensee's management and staff follow mandatory policies and practices designed to protect the welfare of residents.

Following a routine inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home's Residents' Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If the licensee repeatedly does not meet the required standards, RHRA may take further action.

#### Focus Areas

*During a routine inspection, an inspector will focus primarily on a set number of areas which have been identified as related to the health, safety and wellbeing of resident, and may take various actions to determine whether the licensee is compliant with the RHA in relating to the areas. The areas listed in this section are ones which an inspector has identified as non-compliant.*

#### Focus Area #1: Emergency Plan

**RHRA Inspector Findings**

The inspector reviewed the Licensee's emergency plan and testing records. There was no evidence to demonstrate that the Licensee had any specific arrangements for transporting residents in the event of an emergency impacting the Home. In addition, there was no record of any testing of the emergency kit of supplies, resources and equipment, as required. The Licensee failed to ensure that current arrangements with community partners were maintained and that the emergency kit was tested regularly, as required.

**Outcome**

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by following up with the Licensee or by inspection.

**Focus Area #2: Resident Record, Assessment, Plan of Care****RHRA Inspector Findings**

The inspector reviewed a sample of resident care files and found that the initial plans of care for two residents were not developed within the timeframe prescribed. The Licensee failed to ensure that all resident plans of care were developed within the specified timeframe.

**Outcome**

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by following up with the Licensee or by inspection.

**Focus Area #3: Staff Training****RHRA Inspector Findings**

The inspector reviewed a sample of staff training records and found that 2 staff members had not been trained prior to commencing to work in the Home, as prescribed. Specifically, the two staff members had not completed the required training in: complaints procedure, infection prevention and control, the Residents' Bill of Rights, the policy to promote zero tolerance of abuse and neglect, whistleblowing protections, personal assistance services devices, fire prevention & safety, and the emergency evacuation plan. The Licensee failed to ensure that staff were trained as required prior to working in the Home.

**Outcome**

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by following up with the Licensee or by inspection.

**Additional Findings**

*During a routine inspection, an inspector may observe areas of non-compliance that are not related to the standard focus areas. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.*

**Not Applicable**

**Current Inspection – Citations**

*Citations relating to the above Focus Areas or Additional Findings made during the current inspection are listed below.*

**The Licensee failed to comply with the RHA s. 14. (1); Staff training**

**s. 14. (1); Staff training**

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**The Licensee failed to comply with the RHA s. 24. (4); Emergency plan, general**

**s. 24. (4); Emergency plan, general**

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

**The Licensee failed to comply with the RHA s. 25. (3); Emergency plan, retirement home with more than 10 residents**

**s. 25. (3); Emergency plan, retirement home with more than 10 residents**

25. (3) The licensee shall ensure that the emergency plan provides for the following:

**Specifically, the Licensee failed to comply with the following subsection(s):**

**s. 25. (3), para. 3**

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

**The Licensee failed to comply with the RHA s. 27. (9); Infection prevention and control program**

**s. 27. (9); Infection prevention and control program**

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

**Specifically, the Licensee failed to comply with the following subsection(s):**

**s. 27. (9), (a)**

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

**s. 27. (9), (b)**

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

**The Licensee failed to comply with the RHA s. 47. (1); Development of plan of care**

**s. 47. (1); Development of plan of care**

47. (1) Subject to subsection (4), as soon as possible and not later than two days after a resident commences residency in a retirement home, the licensee of a retirement home shall develop an initial plan of care for the resident based on the initial assessment of the resident's immediate care needs conducted under section 43 that includes all of the information listed in subsection 62 (4) of the Act that is relevant to the resident's immediate care needs.

**The Licensee failed to comply with the RHA s. 65. (2); Training**

**s. 65. (2); Training**

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

**Specifically, the Licensee failed to comply with the following subsection(s):**

**s. 65. (2), (a)**

(a) the Residents' Bill of Rights;

**s. 65. (2), (b)**

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

**s. 65. (2), (c)**

(c) the protection afforded for whistle-blowing described in section 115;

**s. 65. (2), (d)**

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

**s. 65. (2), (f)**

(f) fire prevention and safety;

**s. 65. (2), (g)**

(g) the licensee's emergency evacuation plan for the home mentioned in subsection 60 (3);

**s. 65. (2), (h)**

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

**Closed Citations**

*During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.*

**Not Applicable**

## NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date February 8, 2024
---	--------------------------