

FINAL INSPECTION REPORT

Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 12, 2024	Name of Inspector: Julie Hebert
Inspection Type: Responsive Inspection – Mandatory Report	
Licensee: ACC-002660 - 2604395 Ontario Inc.	
Retirement Home: Hudson Manor	
License Number: S0445	

About Responsive Inspections

A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the *Retirement Homes Act, 2010* or its regulations (the “RHA”). An inspection being conducted does not imply that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.

Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)

During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the

inspection and may take various actions to determine whether the licensee is compliant with the RHA in relation to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.

Concern #1: CON-9291-Emotional Abuse

RHRA Inspector Findings

An incident of staff to resident emotional abuse was reported to RHRA by the home. As a result, an inspection took place in which the inspector spoke to residents, family members, staff, and management as well as reviewed documentation present at the home. The evidence revealed that the incident of emotional abuse of the resident by a staff member was confirmed. Further, the incident was reported to the management on duty at the time of the incident, however, the home's management did not start an immediate investigation and allowed the staff member to continue to work, causing the resident to fear retaliation from the staff member and barricade their door. The Licensee was not able to demonstrate that the staff member had completed annual training in the home's zero tolerance of abuse policy. As a result, the Licensee failed to protect the resident from emotional abuse.

Outcome

The Licensee submitted a plan to achieve compliance by July 20, 2024. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 65. (4); On-going training

s. 65. (4); On-going training

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

The Licensee failed to comply with the RHA s. 67. (1); Protection against abuse and neglect

s. 67. (1); Protection against abuse and neglect

67. (1) Every licensee of a retirement home shall protect residents of the home from abuse by anyone.

The Licensee failed to comply with the RHA s. 74.; Licensee's duty to respond to incidents of wrongdoing

s. 74.; Licensee's duty to respond to incidents of wrongdoing

74. Every licensee of a retirement home shall ensure that,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 74. (a)

(a) every alleged, suspected or witnessed incident of the following of which the licensee knows or that is reported to the licensee is immediately investigated:

s. 74. (a), 1.

(i) abuse of a resident of the home by anyone,

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Retirement Homes Act, 2010:

s. 62. (12); Reassessment and revision

62. (12) The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,

Ontario Regulation 166/11:

s. 25. (3); Emergency plan, retirement home with more than 10 residents

25. (3) The licensee shall ensure that the emergency plan provides for the following:

s. 25. (3), para. 3

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector	Date
<i>Julie Hebert</i>	June 27, 2024

--	--