

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 11, 2025	Name of Inspector: Angela Newman
Inspection Type: Responsive Inspection – Mandatory Report	
Licensee: ACC-002349 - Nine Mile Villa Inc.	
Retirement Home: Nine Mile Villa Inc.	
License Number: S0419	

About Responsive Inspections
<p>A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the <i>Retirement Homes Act, 2010</i> or its regulations (the “RHA”). An inspection being conducted does not imply that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.</p> <p>Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the <i>RHA</i>. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the <i>RHA</i>.</p> <p>Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the <i>RHA</i>. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.</p> <p>In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.</p> <p>If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.</p>

Concern(s)
<p><i>During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the inspection and may take various actions to determine whether the licensee is compliant with the RHA in relation to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.</i></p>

Concern #1: CON-4037-Improper or Incompetent Treatment or Care**RHRA Inspector Findings**

A report was made to the RHRA alleging incorrect medication administration practices. As part of the inspection in response to the allegation, the inspector interviewed residents and staff and reviewed resident documents and Licensee's procedures. The inspector found the Licensee failed to establish a medication management system which included written policies and procedures that addressed how the home manages and responds to medication errors. The Licensee failed to ensure it has an established and implemented medication management system in compliance with the legislation.

Outcome

The Licensee has demonstrated it has taken corrective action to achieve compliance.

Concern #2: CON-4041-Staff Training**RHRA Inspector Findings**

A report was made to the RHRA regarding a lack of staff training. As part of the inspection in response to the allegation, the inspector interviewed staff and reviewed annual and orientation staff training records. The inspector found one staff member had not completed training in the areas of resident bill of rights, infection control, whistle blower protection, personal assistance services devices, fire prevention and safety, emergency plan, and complaints. In addition, the inspector found all staff had not been trained annually in fire prevention and safety and emergency plan. The Licensee was not able to demonstrate that orientation and annual training was completed in alignment with the regulations.

Outcome

The Licensee has demonstrated it has taken corrective action to achieve compliance.

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

Not Applicable

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Retirement Homes Act, 2010:

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (a)

(a) the Residents' Bill of Rights;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (c)

(c) the protection afforded for whistle-blowing described in section 115;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (d)

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (e)

(e) injury prevention;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (f)

(f) fire prevention and safety;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (g)

(g) the licensee's emergency evacuation plan for the home mentioned in subsection 60 (3);

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (h)

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

s. 65. (4); On-going training

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

Ontario Regulation 166/11:

s. 14. (1); Staff training

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

s. 14. (2); Staff training

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who

are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

s. 27. (9); Infection prevention and control program

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

s. 27. (9), (a)

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

s. 27. (9); Infection prevention and control program

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

s. 27. (9), (b)

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

s. 31. (1); Medication management system

31. (1) If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall establish a medication management system, which includes written policies and procedures, to ensure that all drugs and other substances to be administered to residents of the home are acquired, received in the home, stored, dispensed, administered, destroyed and disposed of correctly as required by law and in accordance with prevailing practices.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>Angela Newman</i>	Date March 3, 2025
--	-----------------------