

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 11, 2025	Name of Inspector: Kate Fish
Inspection Type: Responsive Inspection – Mandatory Report	
Licensee: ACC-010232 - Amenida Pickering LP	
Retirement Home: Amenida Seniors Community Pickering	
License Number: T01959	

About Responsive Inspections

A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the *Retirement Homes Act, 2010* or its regulations (the “RHA”). An inspection being conducted does not imply that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.

Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)

During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the inspection and may take various actions to determine whether the licensee is compliant with the RHA in relation to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.

Concern #1: CON-5490-Abuse**RHRA Inspector Findings**

An inspection took place after the home self-reported an incident involving alleged improper care and abuse of a resident. As part of the inspection in response to the concern, the inspector conducted interviews and reviewed documentation and records within the home relating to the incident. The inspector reviewed the home's Managing Complaint's procedure and found lack of documentation related to actions to resolve the complaint, response from the complainant, and final outcome. The inspector reviewed the home's Zero Tolerance for Abuse and Neglect policy and found multiple requirements had not been met including assessing a resident after an incident of alleged abuse, and developing a safety plan to meet the needs of the resident. The home failed to meet the requirements of their Managing Complaints, and Zero Tolerance for Abuse and Neglect policy.

Outcome

At the time of the inspection, the Licensee was not in compliance. The home has since taken corrective action to achieve compliance.

Concern #2: CON-5491-Abuse**RHRA Inspector Findings**

An inspection took place after the home self-reported an incident involving alleged improper care and abuse of a resident. As part of the inspection in response to the concern, the inspector conducted interviews and reviewed documentation and records within the home relating to the incident. There is a requirement in which a home must immediately investigate any alleged or confirmed incidents of abuse. The inspector found that the home failed to meet this requirement.

Outcome

The Licensee provided information indicating that corrective action was being taken, however, further action must be taken to achieve compliance with all areas outlined in the finding. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable**Current Inspection – Citations**

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 74.; Licensee's duty to respond to incidents of wrongdoing

s. 74.; Licensee's duty to respond to incidents of wrongdoing

74. Every licensee of a retirement home shall ensure that,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 74. (a)

(a) every alleged, suspected or witnessed incident of the following of which the licensee knows or that is reported to the licensee is immediately investigated:

s. 74. (a), 1.

(i) abuse of a resident of the home by anyone,

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Not Applicable

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector	Date
<i>Kate Fish</i>	June 27, 2025