

FINAL INSPECTION REPORT

Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 23, 2025	Name of Inspector: Angela Butler
Inspection Type: Responsive Inspection – Complaint	
Licensee: ACC-002663 - CVH (No. 3) LP	
Retirement Home: Chelsey Park Retirement Community	
License Number: S0231	

About Responsive Inspections

A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the *Retirement Homes Act, 2010* or its regulations (the “RHA”). An inspection being conducted does not imply that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.

Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)

During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the

inspection and may take various actions to determine whether the licensee is compliant with the RHA in relation to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.

There are no findings of non-compliance relating to the concern(s) which prompted the inspection.

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Additional Finding#1: CON-5822-Behaviour Management

RHRA Inspector Findings

A report was made to RHRA regarding an alleged incident of resident-to-resident abuse. Throughout the course of the inspection, the inspector determined that while an incident occurred, the individual who sustained injuries was not a resident of the retirement home. While conducting this inspection, the inspector made a finding unrelated to the purpose of the inspection. The inspector found evidence through documentation in the home and interviewing relevant residents that two other incidents of confirmed resident-to-resident abuse had occurred, and the Licensee failed to ensure the incidents were immediately investigated, and that their zero tolerance of abuse policy was fully complied with. Additionally, residents involved in these incidents were found to have posed a risk of harm to themselves and others in the home, and the Licensee had not implemented their behaviour monitoring strategies, including techniques or interventions to address the behaviours.

Outcome

The Licensee submitted a plan to achieve compliance by Sun Aug 10, 2025. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Finding#2: CON-5824-Staff Training

RHRA Inspector Findings

While conducting this inspection, the inspector made a finding unrelated to the purpose of the inspection. The inspector reviewed staff training records, and while the staff had completed most of the relevant annual training, there was no evidence that staff providing care to residents had received required annual training on those care services. This was an area that was previously non-compliant. The Licensee failed to ensure that care services training was completed annually for all staff who provide care to the residents.

Outcome

The Licensee submitted a plan to achieve compliance by Sun Aug 10, 2025. RHRA to confirm compliance by following up with the Licensee or by inspection.

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 67. (4); Policy to promote zero tolerance

s. 67. (4); Policy to promote zero tolerance

67. (4) Without in any way restricting the generality of the duties described in subsections (1) and (2), the licensee shall ensure that there is a written policy to promote zero tolerance of abuse and neglect of residents and shall ensure that the policy is complied with.

The Licensee failed to comply with the RHA s. 74.; Licensee's duty to respond to incidents of wrongdoing

s. 74.; Licensee's duty to respond to incidents of wrongdoing

74. Every licensee of a retirement home shall ensure that,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 74. (a)

(a) every alleged, suspected or witnessed incident of the following of which the licensee knows or that is reported to the licensee is immediately investigated:

s. 74. (a), 1.

(i) abuse of a resident of the home by anyone,

The Licensee failed to comply with the O. Reg. 166/11 s. 14. (5); Staff training

s. 14. (5); Staff training

14. (5) The licensee shall ensure that the persons who are required to receive the training described in subsection 65 (5) of the Act receive that training on an ongoing basis, namely at least annually after receiving the training described in subsection (4).

The Licensee failed to comply with the O. Reg. 166/11 s. 23. (1); Behaviour management

s. 23. (1); Behaviour management

23. (1) Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 23. (1), (a)

(a) techniques to prevent and address resident behaviours that pose a risk to the resident or others in the home;

s. 23. (1), (b)

(b) strategies for interventions to prevent and address resident behaviours that pose a risk to the resident or others in the home;

s. 23. (1), (c)

(c) strategies for monitoring residents that have demonstrated behaviours that pose a risk to the resident or others in the home;

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Not Applicable

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector	 RN	Date	July 28, 2025
---------------------------	--	------	---------------