

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information

Date of Inspection: February 25, 2026

Name of Inspector: Michele Davidson

Inspection Type: Routine Inspection

Licensee: ACC-002470 - Chartwell Master Care Corporation

Retirement Home: Chartwell Barton Retirement Residence

License Number: T0086

About Routine Inspections

A routine inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. During a routine inspection, an RHRA inspector will walk through the home, speak to residents and staff, observe care services and conditions in the home, and ensure the licensee’s management and staff follow mandatory policies and practices designed to protect the welfare of residents.

Following a routine inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If the licensee repeatedly does not meet the required standards, RHRA may take further action.

Focus Areas

During a routine inspection, an inspector will focus primarily on a set number of areas which have been identified as related to the health, safety and wellbeing of resident, and may take various actions to determine whether the licensee is compliant with the RHA in relating to the areas. The areas listed in this section are ones which an inspector has identified as non-compliant.

Focus Area #1: Emergency Plan

RHRA Inspector Findings

The RHRA inspector conducted a Routine Inspection that included a review of the Licensee's emergency response plan. The Licensee was unable to provide evidence of agreements with emergency partners. In addition, the Licensee had not completed the required emergency drills for violent outbursts, medical emergencies, missing residents, and full building evacuation. As a result, the Licensee did not meet the full requirements of the emergency response plan.

Outcome

The Licensee provided information indicating that corrective action was being taken, however, further action must be taken to achieve compliance with all areas outlined in the finding. RHRA to confirm compliance by following up with the Licensee or by inspection.

Focus Area #2: Resident Record, Assessment, Plan of Care**RHRA Inspector Findings**

The Routine Inspection included a review of a sample of resident charts. Two of these charts did not contain plans of care that had been approved by either the resident or their substitute decision maker. As a result, the Licensee did not meet the requirement to ensure that all residents' plans of care are formally approved.

Outcome

The Licensee submitted a plan to achieve compliance by Thu Mar 26 2026. RHRA to confirm compliance by following up with the Licensee or by inspection.

Focus Area #3: Staff Training**RHRA Inspector Findings**

A review of staff training records identified several instances where staff had not completed the required training prior to beginning their duties. Additionally, some experienced staff had not received the mandatory annual refresher training as required under the Act, 2010. As a result, the Licensee did not meet the requirements for ensuring staff training was completed in the identified areas.

Outcome

The Licensee submitted a plan to achieve compliance by Thu Apr 16 2026. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Findings

During a routine inspection, an inspector may observe areas of non-compliance that are not related to the standard focus areas. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable**Current Inspection – Citations**

Citations relating to the above Focus Areas or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 65. (2); Training

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 65. (2), (b)

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

s. 65. (2), (c)

(c) the protection afforded for whistle-blowing described in section 115;

s. 65. (2), (d)

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

s. 65. (2), (e)

(e) injury prevention;

s. 65. (2), (f)

(f) fire prevention and safety;

s. 65. (2), (g)

(g) the licensee's emergency evacuation plan for the home mentioned in subsection 60 (3);

s. 65. (2), (h)

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

The Licensee failed to comply with the RHA s. 65. (4); On-going training

s. 65. (4); On-going training

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

The Licensee failed to comply with the RHA s. 65. (5); Additional training for direct care staff

s. 65. (5); Additional training for direct care staff

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

Specifically, the Licensee failed to comply with the following subsection(s):

s. 65. (5), para. 3

3. Behaviour management.

The Licensee failed to comply with the RHA s. 62. (9); Persons who approve plans of care

s. 62. (9); Persons who approve plans of care

62. (9) The licensee shall ensure that the following persons have approved the plan of care, including any revisions to it, and that a copy is provided to them:

Specifically, the Licensee failed to comply with the following subsection(s):

s. 62. (9), para. 1

1. The resident or the resident's substitute decision-maker.

The Licensee failed to comply with the O. Reg. 166/11 s. 14. (2); Staff training

s. 14. (2); Staff training

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

The Licensee failed to comply with the O. Reg. 166/11 s. 24. (4); Emergency plan, general

s. 24. (4); Emergency plan, general

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

The Licensee failed to comply with the O. Reg. 166/11 s. 24. (5); Emergency plan, general

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 2.

(ii) situations involving a missing resident,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 3.

(iii) medical emergencies,

s. 24. (5), (b)

(b) at least once every two years, conduct a planned evacuation of the retirement home;

The Licensee failed to comply with the O. Reg. 166/11 s. 14. (3); Staff training

s. 14. (3); Staff training

14. (3) For the purposes of paragraph 5 of subsection 65 (5) of the Act, every licensee of a retirement home shall ensure that every staff member who provides a care service to a resident has received or receives training in,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 14. (3), (b)

(b) each care service offered in the home so that the staff member is able to understand the general nature of each of those services, the standards applicable under the Act to each of those services and the aspects of each of those services that may be relevant to the staff member's own duties in the home.

The Licensee failed to comply with the O. Reg. 166/11 s. 14. (1); Staff training

s. 14. (1); Staff training

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

The Licensee failed to comply with the O. Reg. 166/11 s. 27. (9); Infection prevention and control program

s. 27. (9); Infection prevention and control program

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 27. (9), (a)

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

s. 27. (9), (b)

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Ontario Regulation 166/11:

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 4.

(iv) violent outbursts;

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector <i>M. Davidson</i>	Date March 31, 2026
--	----------------------------