

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: April 10, 2026	Name of Inspector: Douglas Crust
Inspection Type: Routine Inspection	
Licensee: ACC-002944 - Wawel Villa Incorporated	
Retirement Home: Wawel Villa Seniors Residence	
License Number: T0118	

About Routine Inspections
<p>A routine inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. During a routine inspection, an RHRA inspector will walk through the home, speak to residents and staff, observe care services and conditions in the home, and ensure the licensee’s management and staff follow mandatory policies and practices designed to protect the welfare of residents.</p> <p>Following a routine inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the <i>RHA</i>. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the <i>RHA</i>.</p> <p>Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the <i>RHA</i>. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.</p> <p>In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.</p> <p>If the licensee repeatedly does not meet the required standards, RHRA may take further action.</p>

Focus Areas
<p><i>During a routine inspection, an inspector will focus primarily on a set number of areas which have been identified as related to the health, safety and wellbeing of resident, and may take various actions to determine whether the licensee is compliant with the RHA in relating to the areas. The areas listed in this section are ones which an inspector has identified as non-compliant.</i></p>
<p>Focus Area #1: Emergency Plan</p>

RHRA Inspector Findings

The inspector reviewed the Licensee's emergency plan records. The documentation showed that the Licensee did not have current agreements with its community partners. In addition, the Administrator acknowledged that the Home had failed to test the following sections of the emergency plan in 2025: medical emergency, violent outburst and responding to epidemics and pandemics. Further, the Home had not completed an actual full evacuation in the previous two years, as required. The Licensee failed to ensure that arrangements with community partners were kept current and failed to ensure that testing of all the parts of the Home's emergency plan, including annual testing, was completed as prescribed.

Outcome

The Licensee submitted a plan to achieve compliance by Sun Jun 14 2026. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Findings

During a routine inspection, an inspector may observe areas of non-compliance that are not related to the standard focus areas. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable

Current Inspection – Citations

Citations relating to the above Focus Areas or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the O. Reg. 166/11 s. 24. (4); Emergency plan, general

s. 24. (4); Emergency plan, general

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

The Licensee failed to comply with the O. Reg. 166/11 s. 24. (5); Emergency plan, general

s. 24. (5); Emergency plan, general

24. (5) The licensee shall,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 3.

(iii) medical emergencies,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 3.1

(iii.1) epidemics and pandemics,

s. 24. (5), (a)

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

s. 24. (5), (a), 4.

(iv) violent outbursts;

s. 24. (5), (b)

(b) at least once every two years, conduct a planned evacuation of the retirement home;

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Retirement Homes Act, 2010:

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (a)

(a) the Residents' Bill of Rights;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (b)

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (c)

(c) the protection afforded for whistle-blowing described in section 115;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (d)

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (e)

(e) injury prevention;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (f)

(f) fire prevention and safety;

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (g)

(g) the licensee's emergency evacuation plan for the home mentioned in subsection 60 (3);

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

s. 65. (2), (h)

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

Ontario Regulation 166/11:

s. 14. (1); Staff training

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector 	Date May 1, 2026
---	---------------------