

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: April 27, 2026	Name of Inspector: Mike Haffner
Inspection Type: Responsive Inspection – Mandatory Report	
Licensee: ACC-002475 - Beechwood Manor Inc.	
Retirement Home: Beechwood Manor	
License Number: T0554	

About Responsive Inspections

A responsive inspection, performed by an RHRA inspector, is a physical inspection of a licensed retirement home. A responsive inspection is conducted when RHRA receives information that the licensee may have failed to meet the standards of the *Retirement Homes Act, 2010* or its regulations (the “RHA”). An inspection being conducted does not imply that an allegation is substantiated or that a contravention of the RHA has occurred. A licensee is required to report to RHRA if they suspect harm or risk of harm to a resident. During a responsive inspection, an RHRA inspector may observe the operations of the home, interview relevant individuals, review records and other documentation, and determine whether the licensee’s management and staff have followed mandatory policies and practices designed to protect the welfare of residents.

Following a responsive inspection, the RHRA inspector prepares a draft inspection report which is sent to the licensee. The draft report may include instances where the licensee has failed to meet the standards of the *RHA*. If included, the licensee can respond to these instances and is strongly encouraged to inform RHRA of its plans to meet the standards of the *RHA*.

Following the draft report, the RHRA inspector prepares this final inspection report, incorporating any response from the licensee with their plans to meet the standards of the *RHA*. The most recent final inspection report must be posted in the home in a visible and easily accessible location. All final inspection reports from the previous two years must also be made available in an easily accessible location in the home. The licensee must provide a copy of this report to the home’s Residents’ Council, if one exists.

In addition to inspection reports, RHRA may provide information to a licensee to encourage improvements of their current practices.

If there is a serious incident or the licensee repeatedly does not meet the required standards, RHRA may take further action.

Concern(s)

During a responsive inspection, an inspector will focus primarily on the concern(s) which prompted the

inspection and may take various actions to determine whether the licensee is compliant with the RHA in relation to the concern(s). Any findings of non-compliance identified in relation to these concerns are listed below.

Concern #1: CON-9750-Staff Training

RHRA Inspector Findings

During a responsive inspection, the inspector reviewed relevant staff training. The inspector found that the student completing practicum hours failed to complete orientation training in the areas of Zero tolerance of abuse, Bill of Rights, Infection control, Whistle Blower protection, Personal Assistive Service Devices (PASDs), Injury Prevention, Fire prevention and safety, Emergency plans, Complaints, as required. The Licensee failed to ensure no staff work in the home unless proper training was received.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by following up with the Licensee or by inspection.

Additional Findings

During a responsive inspection, an inspector may observe areas of non-compliance that are not related to the concern(s) which prompted the inspection. In these cases, an inspector may cite the home for these contraventions at the time of this inspection. In addition, an inspector may follow-up on findings of non-compliance from previous inspections. Where the licensee is unable to demonstrate they have come into compliance or maintained compliance, an inspector may cite the home for these repeat contraventions at the time of this inspection.

Not Applicable

Current Inspection – Citations

Citations relating to the above Concerns or Additional Findings made during the current inspection are listed below.

The Licensee failed to comply with the RHA s. 65. (2); Training

s. 65. (2); Training

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

Specifically, the Licensee failed to comply with the following subsection(s):

s. 65. (2), (a)

(a) the Residents' Bill of Rights;

s. 65. (2), (b)

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

s. 65. (2), (c)

(c) the protection afforded for whistle-blowing described in section 115;

s. 65. (2), (d)

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

s. 65. (2), (e)

(e) injury prevention;

s. 65. (2), (f)

(f) fire prevention and safety;

s. 65. (2), (g)

(g) the licensee's emergency evacuation plan for the home mentioned in subsection 60 (3);

s. 65. (2), (h)

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

s. 65. (2), (i)

(i) all Acts, regulations, policies of the Authority and similar documents, including policies of the licensee, that are relevant to the person's duties;

s. 65. (2), (j)

(j) all other prescribed matters.

The Licensee failed to comply with the O. Reg. 166/11 s. 14. (1); Staff training

s. 14. (1); Staff training

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

Closed Citations

During an inspection, an inspector may follow-up with areas of non-compliance cited during a previous inspection, or verify compliance with areas initially cited during the current inspection. The inspector has verified that at the time of this report, the licensee was able to demonstrate that the following areas have come into compliance.

Not Applicable

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the RHRA and the home's Residents' Council, if any.

Section 55 of the *RHA* requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Retirement Home Database available online at <http://www.rhra.ca/en/retirement-home-database>.

Signature of Inspector	Date
<i>Mike Haffner</i>	May 22, 2026